Ref #	Hits	Search Query	DBs	Default Operator	Piurals	Time Stamp
S1	2	("20040227002").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/06 16:58
52	1	"340"/\$.ccls. and ((tag or transponder) and resonan\$4 and (rectif\$4 or rectificat\$4) and ((double near3 layer) near5 capacitor) and diode and resistor and charg\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 19:54
53	249	"340"/\$.ccls. and ((tag or transponder) and resonan\$4 and (rectif\$4 or rectificat\$4) and battery and (coil or antenna))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 19:57
54	36129	S3 and reader or writer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 19:55
S5	122	S3 and (reader or writer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 19:56
S6	11	S3 and (reader and writer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 19:56
<b>S7</b>	250	"340"/\$.ccls. and ((rfid or tag or transponder) and resonan\$4 and (rectif\$4 or rectificat\$4) and battery and (coil or antenna))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 19:58
<b>S8</b>	150	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and battery and (coil or antenna) and charg\$4 and discharg\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 20:00
<b>S</b> 9	23	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and ((charg\$4 and discharg\$4) near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 20:02
S10	23	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and (charg\$4 near15 battery) and (discharg\$4 near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/21 21:51
S11	23	340/426.1.ccls. and recover\$4 and alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 09:29
S12	1348	"340"/\$.ccls. and ((rfid or tag or transponder) near20 (display or interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/21 21:47

	:		•			•
S13	0	"340"/\$.ccls. and ((rfid or tag or transponder) near20 (electophoretic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/21 21:48
S14	4	"340"/\$.ccls. and ((rfid or tag or transponder) near20 (electrophoretic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2005/09/21 21:48
S15	23	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and (charg\$4 near15 battery) and (discharg\$4 near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 14:53
S16	17	S15 and (read\$1 write\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2005/09/21 21:51
S17	17	S15 and (read\$2 write\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	·ON	2005/09/22 10:02
S18	2	("5276435").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/22 09:35
S19	0	("I1and(incentiveorreward\$4)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/22 09:35
S20	1	S18 and (incentive or reward\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/22 09:36
S21	23	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and (charg\$4 near15 battery) and (discharg\$4 near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	.ON	2005/09/22 10:02
S22	2	S21 and (reader and writer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/22 10:04
S23	23	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and ((charg\$4 and discharg\$4) near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/22 10:05
S24	2	S23 and (reader and writer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/22 10:04

						:
S25	2	"340"/\$.ccls. and ((rfid or tag or transponder or (radio near3 identification)) and (rectif\$4 or rectificat\$4) and (coil or antenna) and ((charg\$4 and discharg\$4) near15 battery)) and (reader and writer or (reader/writer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/22 10:06
S26	98	(("6154137") or ("6232870") or ("4537174") or ("4099509") or ("4802080") or ("5293308") or ("6121692") or ("6357418") or ("6697272") or ("6912137") or ("5721535") or ("5774062") or ("5898298") or ("6016018") or ("3895211") or ("4515140") or ("4549186") or ("4628324") or ("4853705") or ("5012236") or ("5235326") or ("5266926") or ("5457447") or ("5491482") or ("5502445") or ("5559507") or ("5889489") or ("6011958") or ("6037745") or ("6079622") or ("6098890") or ("6134130") or ("6172609") or ("6211786") or ("6211786") or ("6369712") or ("6412977") or ("6462647") or ("6543279") or ("5608380") or ("6368901") or ("5606740") or ("4272806") or ("6169373") or ("4246515") or ("4782242")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	OFF	2005/10/07 09:38
S27	98	(("6154137") or ("6232870") or ("4537174") or ("4099509") or ("4802080") or ("5293308") or ("6121692") or ("6357418") or ("6697272") or ("6912137") or ("5721535") or ("5774062") or ("5898298") or ("6016018") or ("3895211") or ("4515140") or ("4549186") or ("4628324") or ("4853705") or ("5012236") or ("5235326") or ("5266926") or ("5457447") or ("5491482") or ("5502445") or ("5559507") or ("5889489") or ("6011958") or ("6037745") or ("6079622") or ("6098890") or ("6134130") or ("6172609") or ("6211786") or ("6211786") or ("6369712") or ("6412977") or ("6462647") or ("6543279") or ("5608380") or ("6368901") or ("5606740") or ("4272806") or ("6169373") or ("4246515") or ("4782242")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/07 09:40
S28	1	S27 and (rectif\$4 same (battery or cap)) and ((reader/writer) or (reader and writer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/07 09:41
S29	2	S27 and (rectif\$4 and (battery or cap)) and ((reader/writer) or (reader and writer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/07 09:43
S30	2	S27 and rectif\$4 and (battery or capacitor) and ((reader/writer) or (reader and writer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/07 09:44
S31	36	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and rectif\$4 and (battery or capacitor) and ((reader/writer) or (reader and writer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/07 09:57
S32	18	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and (rectif\$4 and (battery or capacitor) same ((reader/writer) or (reader and writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/07 09:58
533	16	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and (battery or capacitor) and (rectif\$4 same ((reader/writer) or (reader and writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/15 10:35

	:		•			;
S34	16	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and (battery or capacitor) and (rectif\$4 same ((reader/writer) or (reader and writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 11:17
S35	1	S34 and (double near3 capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/11 11:39
S36	92	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and (double near3 capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 13:53
S37	2	("5796218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/11 12:27
S38	0	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and (time-constrant adj resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/11 17:39
S39	1	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and (time-constant adj resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/11 17:40
S40	16	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and ((time-constant adj resistor) or (time adj constant adj resistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 11:15
S41	21	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and (battery or capacitor) and (rectif\$4 same ((reader/writer) or (reader and writer) or (R/W) or (reader adj writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 12:58
S42	29	("340"/\$.ccls. or "320"/\$.ccls.) and (battery or capacitor) and (rectif\$4 same ((reader/writer) or (reader and writer) or (R/W) or (reader adj writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 12:58
S43	106	("340"/\$.ccls. or "320"/\$.ccls.) and (battery or capacitor) and (rectif\$4 and ((reader/writer) or (reader and writer) or (R/W) or (reader adj writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 12:58
S44	44	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and (battery or capacitor) and (rectif\$4 and ((reader/writer) or (reader and writer) or (R/W) or (reader adj writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 12:58
S45	1	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and (paper-type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 13:54

	:	EAST Scaren misco	. ,			
S46	16	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and ((paper-type) or (paper near2 type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 13:57
S47	4	("340"/\$.ccls. or "320"/\$.ccls.) and (((paper-type) or (paper near2 type)) near3 battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 13:57
S48	6	(340/572.5,636.1,572.1,572.8,10.34,636.\$2.ccls. or 320/166, 167,128.ccls.) and ((time-constant adj resistor) or (time adj constant adj resistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 14:49
S49	4665	((340/636.\$2) or (340/572.5) or (340/572.1) or (340/572.8) or (340/10.34) or (320/166) or (320/167) or (320/128)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/14 11:18
S50	23	S49 and ((time-constant adj resistor) or (time adj constant adj resistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 15:58
S51	21	S49 and ((time-constant adj resistor) or (time adj constant adj resistor)) and diode and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	·ON	2005/10/14 16:02
S52	306	"340"/\$.ccls. and (diode near2 shunt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 14:36
S53	45	"340"/\$.ccls. and (diode adj shunt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	·ON	2005/10/14 14:37
S54	4	"340"/\$.ccls. and ((diode adj shunt) near20 (charg\$4 or flow\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 14:38
S55	4665	((340/636.\$2) or (340/572.5) or (340/572.1) or (340/572.8) or (340/10.34) or (320/166) or (320/167) or (320/128)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/15 10:35
S56	69	S55 and (((double-layer) or (double near2 layer)) adj capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:13
S57	40	S55 and ((((double-layer) or (double near2 layer)) adj capacitor) near20 charg\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:23

						:
S58	1	S57 and ((time-constant adj resistor) or (time adj constant adj resistor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:03
S59	1	S57 and (rectif\$4 same ((reader/writer) or (reader and writer) or (R/W) or (reader adj writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:04
S60	13	S57 and (ic or transponder or tag or rfid or (radio adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:15
S61	16	S57 and rectif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:06
S62	1	("6617963").PN. OR ("6950767").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/14 16:11
S63	15	S56 and (ic or transponder or tag or rfid or (radio adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:15
S64	3	("5635812"   "6242887"   "6297618").PN. OR ("6809502"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/14 16:30
S65	2	S64 and (((double-layer) or (double near2 layer)) adj capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 16:31
S66	1	"20040227002".pn. and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	·ON	2005/10/14 17:33
S67	0	((first and seocnd) adj capacitor) and ((first and seocnd) adj diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:35
S68	2283	((first and second) adj capacitor) and ((first and second) adj diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	·ON	2005/10/14 17:35
S69	1110	((first and second) adj capacitor) same ((first and second) adj diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 17:36
S70	28	S69 and (charg\$4 or discharg\$4) and "340"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	.ON	2005/10/14 17:37

	:		•			:
S71	4665	((340/636.\$2) or (340/572.5) or (340/572.1) or (340/572.8) or (340/10.34) or (320/166) or (320/167) or (320/128)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/15 10:35
S72	2747	S71 and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2005/10/15 10:35
S73	9	S71 and (battery) and (rectif\$4 same ((reader/writer) or (reader and writer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/15 10:36
S74	96	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and (transponder rfid tag) and ((capacitor battery) near40 (charg\$4 and discharg\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 14:00
S75	7	(340/572.5,636.1,572.1,572.8,10.34.ccls. or 320/166,167,128. ccls.) and (transponder rfid tag) and ((capacitor near20 discharg\$4) same (charg\$4 near20 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 14:02
S76	20	("340"/\$.ccls. or "320"/\$.ccls.) and (transponder rfid tag) and ((capacitor near20 discharg\$4) same (charg\$4 near20 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 14:42
S77	0	"6489883".pn. and (charg\$4 recharg\$4) near10 (battery cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 14:43
S78	9	(340/572.5,636.1,572.1,572.8,10.34,636.\$2.ccls. or 320/166, 167,128.ccls.) and (rfid tag transponder) and ((charg\$4 recharg\$4) near10 (battery cell))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 14:51
S79	822	("340"/\$.ccls. or "320"/\$.ccls.) and (rfid tag transponder) and ((charg\$4 recharg\$4) near10 (battery cell))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 14:51
S80	791	("340"/\$.ccls. or "320"/\$.ccls.) and (rfid tag transponder) and ((charg\$4 recharg\$4) near10 (battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 14:51
S81	40	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and ((recharg\$ charg\$4) near15 battery) and (discharg\$4 near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 14:54
S82	191	"340"/\$.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and (recharg\$ charg\$4) near15 battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 14:55

			•			i
\$83	76	"340"/572.5,636.1,572.1,572.8,10.34.ccls. and ((rfid or tag or transponder) and (rectif\$4 or rectificat\$4) and (coil or antenna) and ((recharg\$ charg\$4) near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:01
S84	22	"340"/572.5,636.1,572.1,572.8,10.34.ccls. and ((rfid or tag or transponder) and (coil or antenna) and (rectif\$4 or rectificat\$4) same ((recharg\$ charg\$4) near15 battery))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:04
S85	17	"340"/572.5,636.1,572.1,572.8,10.34.ccls. and ((rfid or tag or transponder) and (coil or antenna) and ((rectif\$4 or rectificat\$4) near40 ((recharg\$ charg\$4) near35 battery)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:12
S86	33	"340"/\$.ccls. and ((rfid or tag or transponder) and (coil or antenna) and ((rectif\$4 or rectificat\$4) near40 ((recharg\$ charg\$4) near35 battery)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:22
S87	58	"340"/\$.ccls. and ((rfid or tag or transponder) and (coil or antenna) and ((rectif\$4 or rectificat\$4) same ((recharg\$ charg\$4) near35 battery)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:25
S88	58	"340"/\$.ccls. and ((rfid or tag or transponder) and (coil or antenna) and ((rectif\$4 rectificat\$4) same ((recharg\$ charg\$4) near35 battery)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:28
S89	58	"340"/\$.ccls. and ((rfid or tag or transponder) and (coil or antenna) and ((rectifier rectifying rectif\$4 rectificat\$4) same ((recharg\$ charg\$4) near35 battery)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 17:37
S90	26	S89 and (recharg\$4 charg\$4) and (discharg\$4 dis-charg\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2006/03/01 15:34
S91	21	"320"/\$.ccls. and ((rfid or tag or transponder) and (coil or antenna) and ((rectifier rectifying rectif\$4 rectificat\$4) same ((recharg\$ charg\$4) near35 battery)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 17:45
S92	0	"20010000659".pn. and (battery cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 17:37
593	2	("6489883").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:48
S94	6	("2292866").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:50

S95	2	S94 and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 17:58
S96	38967	miyamoto.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 17:58
S97	7	(taiyuu near2 miyamoto).inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 18:00
598	2	S97 and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 18:00